

Tolbert V. Feather, Ph.D.

Advisors for: Landscape Development

Landscape Management, Plant Pest Management

Town of Cheverly 6401 Forest Road Cheverly, MD 20785 March 3, 2020

Town of Cheverly Boyd Park Tree Survey Exercise Pathway

The trees were surveyed in the field on Thursday February 20, 2020. Trees were evaluated for pruning and removal to eliminate hazards near the pathway.

The results are organized from the sit up station to the chin up station to the step-up station and the end and then the wooden fence line.

Individual tree reports are provided with photographs for each tree recommended for removal.

Town of Cheverly Boyd Park Exercise Pathway Tree Pruning Feather and Associates March 3, 2020,

All trees marked with yellow/black striped flagging stapled to the trunk.

In order from Sit up Station to Step Up Station to fenceline

Tree	Size" dbh	Recommendation	tion Comments	
White Oak	36	Remove dead wood		
Sweetgum	18	Remove dead wood	Sit Up Staton	
Black Cherry	16	Remove dead wood		
Sweetgum	16	Remove dead wood		
Sweetgum	16	Remove dead wood		
Sweetgum	24	Remove dead wood	Chin Up Station twin trunk	
Sweetgum	16	Remove dead wood		
Red Maple	12	Remove dead wood		
Oak	30	Remove dead wood		
Red Oak	24	Remove dead wood		
White Oak	30	Remove dead wood		
Sweetgum	24	Remove dead wood		
Sweetgum	18	Remove dead wood		
Oak	30	Remove dead wood	Step Up Station	
Boxelder	30	Remove dead wood	on fence see photo, marked on branch	
Fenceline			elevate shrubs and trees over fence see photo	

Snag - standing dead tree, dbh diameter at 4.5' above ground level



Boxeleder trim dead wood elevate



Trim shrubs and trees over fence

Town of Cheverly

Boyd Park Exercise Pathway Hazardous Tree Removal

Feather and Associates March 3, 2020, All trees marked with red/black striped flagging stapled to the trunk. In order from Sit up Station to Step Up Station to fenceline

Tree number	Tree	Size" dbh	Recommendation	Comments
1	Sweetgum	13	Remove	Sit Up Station
2	Snag	13	Remove	
3	Red Maple	16	Remove	
4	Snag	8	Remove	
5	Snag	9	Remove	
6	Snag	7	Remove	
7	Snag	24	Remove	Chin Up Station
8	Snag	7	Remove	
9	Black Cherry	11	Remove	
10	Snag, Oak	31	Remove	Step Up Station
11	Snag	20	Remove	

Snag - standing dead tree, dbh diameter at 4.5' above ground level

Tolbert V. Feather, Ph.D.

Advisors for: Landscape Development

Landscape Management, Plant Pest Management

Town of Cheverly 6401 Forest Road Cheverly, MD 20785 March 3, 2020

RE: Public Tree Removal 1 - Boyd Park Exercise Path

Sweetgum 13" diameter at 4.5' above ground level.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315 MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Tolbert V. Feather, Ph.D.


Advisors for: Landscape Development

Landscape Management, Plant Pest Management

Town of Cheverly 6401 Forest Road Cheverly, MD 20785 March 3, 2020

RE: Public Tree Removal 2 - Boyd Park Exercise Path

Snag 8" diameter at 4.5' above ground level.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315 MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Tolbert V. Feather, Ph.D.

Advisors for: Landscape Development

Landscape Management, Plant Pest Management

Town of Cheverly 6401 Forest Road Cheverly, MD 20785 March 3, 2020

RE: Public Tree Removal 3 - Boyd Park Exercise Path

Red Maple 16" diameter at 4.5' above ground level. Hollow at base.



Tolbert V. Feather, Ph.D.

Advisors for: Landscape Development

Landscape Management, Plant Pest Management

Town of Cheverly 6401 Forest Road Cheverly, MD 20785 March 3, 2020

RE: Public Tree Removal 4 - Boyd Park Exercise Path

Snag 8" diameter at 4.5' above ground level.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315 MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Tolbert V. Feather, Ph.D.

Advisors for: Landscape Development

Landscape Management, Plant Pest Management

Town of Cheverly 6401 Forest Road Cheverly, MD 20785 March 3, 2020

RE: Public Tree Removal 5 - Boyd Park Exercise Path

Snag 9" diameter at 4.5' above ground level.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315 MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Tolbert V. Feather, Ph.D.

Advisors for: Landscape Development

Landscape Management, Plant Pest Management

Town of Cheverly 6401 Forest Road Cheverly, MD 20785 March 3, 2020

RE: Public Tree Removal 6 - Boyd Park Exercise Path

Snag 7" diameter at 4.5' above ground level.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315 MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Tolbert V. Feather, Ph.D.

Advisors for: Landscape Development

Landscape Management, Plant Pest Management

Town of Cheverly 6401 Forest Road Cheverly, MD 20785 March 3, 2020

RE: Public Tree Removal 7 - Boyd Park Exercise Path

Snag 24" diameter at 4.5' above ground level.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315 MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Tolbert V. Feather, Ph.D.


Advisors for: Landscape Development

Landscape Management, Plant Pest Management

Town of Cheverly 6401 Forest Road Cheverly, MD 20785 March 3, 2020

RE: Public Tree Removal 8 - Boyd Park Exercise Path

Snag 7" diameter at 4.5' above ground level.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315 MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Tolbert V. Feather, Ph.D.


Advisors for: Landscape Development

Landscape Management, Plant Pest Management

Town of Cheverly 6401 Forest Road Cheverly, MD 20785 March 3, 2020

RE: Public Tree Removal 9 - Boyd Park Exercise Path

Black Cherry 11" diameter at 4.5' above ground level. Leaning, decay in trunk. Between Chin Up and Step Up Stations



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315 MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Tolbert V. Feather, Ph.D.

Advisors for: Landscape Development

Landscape Management, Plant Pest Management

Town of Cheverly 6401 Forest Road Cheverly, MD 20785 March 3, 2020

RE: Public Tree Removal 10 - Boyd Park Exercise Path

Standing dead tree, oak 31" diameter at 4.5' above ground level. Decay in trunk.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315 MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Tolbert V. Feather, Ph.D.

Advisors for: Landscape Development

Landscape Management, Plant Pest Management

Town of Cheverly 6401 Forest Road Cheverly, MD 20785 March 3, 2020

RE: Public Tree Removal 11 - Boyd Park Exercise Path

Standing dead tree 20" diameter at 4.5' above ground level.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315 MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937