

Number	Street	Tree	Size	Recommendation	Comments	Priority	Quantity
2902	56th Place	Red Maple	15	Hollow remove		1	1
2411	59th Street	Red Maple	18	50% dead, lean, remove	in park, near driveway	1	1
2411	59th Street	Silver Maple	20	75% dead remove	in park, near driveway	1	1
1702	62nd Avenue	American Beech	16	Dead remove	in park near home	1	1
2825	63rd Place	Pin Oak	31	50% dead remove	on Inwood St. Remove dead wood now	1	1
1801	64th Avenue	White Oak	21	Dead remove	Boyd Park near restrooms	1	1
2202	Cheverly Avenue	Elm	23	Decay in trunk, remove		1	1
2301	Cheverly Avenue	Red Maple	18	50% dead remove	On Arbor St.	1	1
2305	Cheverly Avenue	Pin Oak	26	top dead, remove	Remove dead wood now	1	1
2307	Cheverly Avenue	Pin Oak	37	50% dead, hazardous, remove	Remove dead wood now	1	1
2312	Cheverly Avenue	Pin Oak	28	Decay in upper and lower trunk		1	1
2316	Cheverly Avenue	Pin Oak	21	50% dead remove	Remove dead wood now	1	1
2328	Cheverly Avenue	Silver Maple	20	50% dead remove	Remove dead wood now	1	1
2503	Crest Avenue	Red Maple	19	Hollow remove		1	1
3004	Crest Avenue	Red Maple	21	Hollow, hazardous	x street in park	1	1
3011	Crest Avenue	Ash	21	Hollow, hazardous, remove		1	1
6401	Forest Road	Pear	13	Hollow remove	Town Park BB court	1	1
6401	Forest Road	Oak	16	Remove	Town Park near track	1	1
6401	Forest Road	Virginia Pine	17	70% dead remove	Town Park BB court	1	1
6401	Forest Road	Virginia Pine	23	Split Trunk remove	Town Park BB court	1	1
6204	Inwood Street	Pin Oak	21	75% dead remove	Remove dead wood now	1	1
6301	Kilmer Street	Mullberry	15	Hazardous, remove	Kilmer Park on school fence	1	1
6301	Kilmer Street	Ash	16	70% dead remove	Kilmer Park on school fence	1	1
6301	Kilmer Street	Ash	17	Dead, remove	Kilmer Park on school fence	1	1
6301	Kilmer Street	Hemlock	20	Dead remove	Kilmer Park	1	1
6301	Kilmer Street	Virginia Pine	22	Leaning over school grounds	Kilmer Park	1	1
2308	Lake Avenue	Red Oak	18	50% dead, remove	Remove deadwood over driveway now	1	1
2420	Lake Avenue	Red Maple	21	Hollow, hazardous, hanger, remove	remove dead wood now	1	1
5711	Newton Street	Red Maple	16	50% dead remove		1	1
3016	Parkway	Pear	26	Hollow, hazardous, remove		1	1
3127	Parkway	Sweetgum	14	Hollow, hazardous, remove		1	1
3304	Tremont Avenue	Pin Oak	20	Decay at base, leaning, remove	RR in park	1	1
2404	Valley Way	Red Maple	18	50% dead, decay in trunk, remove		1	1
2418	Valley Way	Red Maple	16	Decay in trunk, remove		1	1

Size - dbh inches diameter at 4.5' above ground level

34

RR - Resident Request

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2902 56th Place

Red Maple 15" diameter at 4.5' above ground level.
Hollow, remove.



Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2411 59th Street in park near driveway.
Red Maple 18" diameter at 4.5' above ground level.
50% dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2411 59th Street in park near driveway.
Silver Maple 20" diameter at 4.5' above ground level.
75% dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 1702 62nd Avenue in park
American Beech 16" diameter at 4.5' above ground level.
Dead, remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2825 63rd Place on Inwood Street

Pin Oak 31" diameter at 4.5' above ground level.
50% dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.


Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 1801 64th Avenue in Boyd Park
White oak 21 " diameter at 4.5' above ground level.
Dead, remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2202 Cheverly Avenue

Elm 23" diameter at 4.5' above ground level.
Decay main trunk.



Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2301 Cheverly Avenue on Arbor Street.

Red Maple 10" diameter at 4.5' above ground level.

50% dead, remove. Photo from Google Street View July, 2012



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2305 Cheverly Avenue

Pin Oak 26" diameter at 4.5' above ground level.
Center of tree dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2307 Cheverly Avenue

Pin Oak 37" diameter at 4.5' above ground level.
50% dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2312 Cheverly Avenue
Pin Oak 28" diameter at 4.5' above ground level.
Decay in upper and lower trunk, remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2316 Cheverly Avenue

Pin Oak 21" diameter at 4.5' above ground level.
50% dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2328 Cheverly Avenue

Silver Maple 20" diameter at 4.5' above ground level.
50% dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2503 Crest Avenue

Red Maple 19" diameter at 4.5' above ground level.

Poor shape, hollow, remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 3004 Crest Avenue across street in Park

Red Maple 21" diameter at 4.5' above ground level.
Hollow



Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 3011 Crest Avenue

Ash 21" diameter at 4.5' above ground level.
Hollow.



Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6401 Forest Road near basketball court
Bradford Pear 13" diameter at 4.5' above ground level.
Hollow, remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6401 Forest Road along track

Oak 16" diameter at 4.5' above ground level.

Dead, remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.


Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6401 Forest Road near basketball court
Virginia Pine 17" diameter at 4.5' above ground level.
50% dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6401 Forest Road near basketball court
Virginia Pine 23" diameter at 4.5' above ground level.
Split trunk entangled in pin oak, remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6204 Inwood Street on Laurel Ave.

Pin Oak 21" diameter at 4.5' above ground level.
75% dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6301 Kilmer Street Kilmer Park

Mulberry 15" diameter at 4.5' above ground level.
The tree is 50% dead. Near schoolyard fence.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6301 Kilmer Street Kilmer Park

Ash 16" diameter at 4.5' above ground level.

The tree is 75% dead and will not revive. Near schoolyard fence.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6301 Kilmer Street Kilmer Park

Ash 17" diameter at 4.5' above ground level.
The tree is dead. Near schoolyard fence.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6301 Kilmer Street Kilmer Park

Hemlock 20" diameter at 4.5' above ground level.
The tree is dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6301 Kilmer Street Kilmer Park

Virginia Pine 22" diameter at 4.5' above ground level.
Leaning to schoolyard fence subject to wind throw.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2308 Lake Avenue across street.

Red Oak 18" diameter at 4.5' above ground level.

50% dead, decay in main trunk.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2420 Lake Avenue

Red maple 21" diameter at 4.5' above ground level.
Hollow, remove.



Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 5711 Newton Street
Red Maple 16" diameter at 4.5' above ground level.
50% dead, decay at base.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 3016 Parkway

Bradford pear 26" diameter at 4.5' above ground level.
Weak/hollow base.



Feather & Assoc.

Tolbert V. Feather, Ph.D.


*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 3127 Parkway

Sweetgum 14" diameter at 4.5' above ground level.
Hollow at base.



Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 3304 Tremont Avenue in woods

Pin Oak 20" diameter at 4.5' above ground level.
Heavily leaning over driveway. Decay at base



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2404 Valley Way.

Red Maple 18" diameter at 4.5' above ground level.
50% canopy, decay in main trunk.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2418 Valley Way.

Red Maple 16" diameter at 4.5' above ground level.

Decay in main trunk, remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937