

Number	Street	Tree	Size	Recommendation	Comments	Priority	Quantity
2903	56th Place	Plum	10	Dead remove		1	1
2414	57th Place	Snag	10	Remove	on Belmont right of way	1	1
2411	59th Street	Spruce	6	50% dead remove	in park	2	1
2411	59th Street	Black Cherry	10	50% dead remove	in park	2	1
2411	59th Street	Snag	12	Remove	in park	2	1
2528	64th Avenue	Pear	11	50% dead remove	on Inwood St.	2	1
6117	Arbor Street	Zelkova	12	50% dead, remove		2	1
3313	Bellevue Avenue	Sugar Maple	11	Poor condition, remove		2	1
2605	Cheverly Avenue	Sugar Maple	11	50% dead remove		2	1
2700	Cheverly Avenue	Elm	10	50% dead remove		2	1
3420	Cheverly Avenue	Bradford Pear	11	50% dead, remove		2	1
6228	Cheverly Park Drive	Black Locust	4	Dead remove	x street in park	1	1
6228	Cheverly Park Drive	Black Locust	5	Dead remove	x street in park	1	1
3012	Crest Avenue	Red Maple	5	Top dead, remove		2	1
5812	Dewey Street	Red Maple	8	Top dead, remove	Remove dead wood now	2	1
5700	Euclid Street	Ash	8	50% dead remove	on Crest Ave.	2	1
5714	Forest Road	Zelkova	6	Decay in trunk, remove		2	1
6401	Forest Road	Pin Oak	8	Hollow remove	Town Park BB court	1	1
6401	Forest Road	Oak	9	Dead, remove	Town Park BB court	1	1
6401	Forest Road	Black Locust	10	Remove	Town Park near back stop	1	1
6401	Forest Road	Virginia Pine	12	Dead remove	Town Park BB court	1	1
5602	Greenleaf Road	Flowering Cherry	1	Dead remove		1	1
5602	Greenleaf Road	Dogwood	1	Dead remove		1	1
6407	Inwood Street	Pear	12	Dead remove		2	1
5716	Jason Street	Silver Maple	11	Poor condition, remove		2	1
6212	Kilmer Street	Redbud	12	Dead remove		2	1
6301	Kilmer Street	Snag	6	Dead, remove, on school fence	Kilmer Park on school fence	1	1
6301	Kilmer Street	Ash	10	Dead, remove	Kilmer Park on school fence	1	1
6301	Kilmer Street	White Pine	11	Dead, remove	Kilmer Park on school fence	1	1
6301	Kilmer Street	Black Cherry	5	50% dead, remove	Kilmer Park	2	1
6301	Kilmer Street	Mullberry	6	Dead remove	Kilmer Park	2	1
2422	Lake Avenue	Snag	10	Remove	x street	1	1
6113	Lombard Avenue	Flowering Cherry	1	Dead remove		2	1
6125	Montrose Road	Willow Oak	10	Dead remove		2	1
6316	Oak Street	Snag	9	Dead remove		1	1
3017	Parkway	Redbud	2	Dead remove		2	1
3100	Parkway	Plum	9	70% dead remove		2	1
2709	Parkway Place	Pear	3	Dead remove	x street	2	1
2709	Parkway Place	Pear	10	Dead remove	x street	2	1
2709	Parkway Place	Pear	12	Dead remove	x street	2	1
3202	Tremont Avenue	Tirdent Maple	10	75% dead remove		2	1
3209	Tremont Avenue	Red Maple	10	Hacked, remove		2	1
3304	Tremont Avenue	Black Cherry	7	Leaning over fence, remove	in park	1	1
3304	Tremont Avenue	Black Cherry	7	Leaning over fence, remove	in park	1	1
3304	Tremont Avenue	Mullberry	9	Leaning over garage, remove	in park	1	1
2410	Valley Way	Tirdent Maple	11	Decay in trunk, remove		1	1
5700	Valley Way	Ginkgo	3	Dead remove		1	1
2804	Woodway Place	Zekkova	8	50% dead remove		2	1
2901	Woodway Place	Zekkova	8	Dead remove		2	1

Priority 1 - Remove now - 20

Priority 2 - May remove latter -29

Size - dbh inches diameter at 4.5' above ground level

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2903 56th Place

Purple leaf plum 10 " diameter at 4.5' above ground level.
Dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2414 57th Place on Belmont right of way.

2 snags 10", 18" diameter at 4.5' above ground level.

Remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2411 59th Street in park
Spruce 6" diameter at 4.5' above ground level.
50% dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2411 59th Street in park
Black Cherry 10" diameter at 4.5' above ground level.
50% dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2411 59th Street in park
Snag 12" diameter at 4.5' above ground level.
Dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2528 64th Avenue on Inwood Street

Bradford Pear 11" diameter at 4.5' above ground level.
50% dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6117 Arbor Street

Zelkova 12" diameter at 4.5' above ground level.
75% dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 3313 Belleview Avenue

Sugar Maple 11" diameter at 4.5' above ground level.
Poor condition



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2605 Cheverly Avenue

Sugar Maple 11" diameter at 4.5' above ground level.
50% dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2700 Cheverly Avenue

Elm 10" diameter at 4.5' above ground level.
50% dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 3420 Cheverly Avenue

Bradford Pear 11" diameter at 4.5' above ground level.
The tree is 50% dead and will not revive.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6228 Cheverly Park Drive across street in park
Black Locust 4" diameter at 4.5' above ground level.
Dead, remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6228 Cheverly Park Drive across street in park
Black Locust 5" diameter at 4.5' above ground level.
Dead, remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.


*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 3012 Crest Avenue

Red Maple 5" diameter at 4.5' above ground level.
Center of tree dead



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 5812 Dewey Street
Red Maple 8" diameter at 4.5' above ground level.
Dead top.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 5700 Euclid Street on Crest Avenue

Ash 8" diameter at 4.5' above ground level.
50% dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 5714 Forest Road

Zelkova 6" diameter at 4.5' above ground level.
Poor shape, decay in trunk



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6401 Forest Road near basketball court

Pin Oak 8" diameter at 4.5' above ground level.

Hollow, remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6401 Forest Road near basketball court

Oak 9" diameter at 4.5' above ground level.

Dead, remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6401 Forest Road near Baseball field backstop.

Black locust 10" diameter at 4.5' above ground level.

Dead, remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6401 Forest Road near basketball court
Virginia Pine 12" diameter at 4.5' above ground level.
Dead, remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 5602 Greenleaf Road

Flowering Cherry 1 " diameter at 4.5' above ground level.
Dead.



Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 5602 Greenleaf Road

Dogwood 1 " diameter at 4.5' above ground level.
Dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6407 Inwood Street

Bradford Pear 12" diameter at 4.5' above ground level.
50% dead, hollow.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 5716 Jason Street

Silver Maple 11" diameter at 4.5' above ground level.
75% dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6212 Kilmer Street

Redbud 12" diameter at 4.5' above ground level.
The tree is dead and should be removed



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6301 Kilmer Street Kilmer Park

Snag 6" diameter at 4.5' above ground level.
Remove. Near schoolyard fence.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6301 Kilmer Street Kilmer Park

Ash 10" diameter at 4.5' above ground level.
The tree is dead. Near schoolyard fence.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6301 Kilmer Street Kilmer Park

Pine 11" diameter at 4.5' above ground level.
The tree is dead. Near schoolyard fence.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6301 Kilmer Street Kilmer Park

Black Cherry 5" diameter at 4.5' above ground level.
The tree is dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6301 Kilmer Street Kilmer Park

Mulberry 6" diameter at 4.5' above ground level.
The tree is dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2422 Lake Avenue across street.

Snag 10" diameter at 4.5' above ground level.

Dead, remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6113 Lombard Avenue

Flowering Cherry 1" diameter at 4.5' above ground level.
The tree is dead and should be removed



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6125 Montrose Road

Willow Oak 10" diameter at 4.5' above ground level.
The tree is dead and should be removed



Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 6316 Oak Street
Snag 9" diameter at 4.5' above ground level.
Dead



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 3017 Parkway

Redbud 2" diameter at 4.5' above ground level.
Dead



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 3100 Parkway

Purpleleaf plum 9" diameter at 4.5' above ground level.
75% dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2709 Parkway Place across street

Bradford Pear 3" diameter at 4.5' above ground level.

Dead, remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2709 Parkway Place across street
Bradford Pear 10" diameter at 4.5' above ground level.
Dead, remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2709 Parkway Place across street
Bradford Pear 12" diameter at 4.5' above ground level.
Dead, remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 3202 Tremont Avenue

Trident Maple 10 " diameter at 4.5' above ground level.
75% dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 3209 Tremont Avenue

Red Maple 10 " diameter at 4.5' above ground level.
Poor condition, line clearance.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 3304 Tremont Avenue in woods

Black Cherry 7" diameter at 4.5' above ground level.
Heavily leaning over fence.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 3304 Tremont Avenue in woods

Black Cherry 7" diameter at 4.5' above ground level.
Heavily leaning over fence.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 3304 Tremont Avenue in woods

Mulberry 9" diameter at 4.5' above ground level.
Heavily leaning over garage.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*


Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2410 Valley Way

Red Maple 11" diameter at 4.5' above ground level.

Decay in main trunk, remove.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 5700 Valley Way
Gingke 3" diameter at 4.5' above ground level.
Dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2804 Woodway Place
Zelkova 8" diameter at 4.5' above ground level.
50% dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937

Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development
Landscape Management, Plant Pest Management*

Town of Cheverly
6401 Forest Road
Cheverly, MD 20785

December 16, 2019

RE: Public Tree Removal 2901 Woodway Place
Zelkova 8" diameter at 4.5' above ground level.
Dead.



7826 Spout Spring Rd., Frederick, MD 21702, tfeather@xecu.net, 240 271 6749, Fax (301) 662-9315
MD Tree Expert License#880, ISA Certification #PD-0715, MD Pesticide Applicator#2070-5937