

# Feather & Assoc.

Tolbert V. Feather, Ph.D.


*Advisors for: Landscape Development  
Landscape Management, Plant Pest Management*

Town of Cheverly  
6401 Forest Road  
Cheverly, MD 20785

September 7, 2023

## **RE: PEPCO Vegetation Management Program Proposed Tree Removals**

I met with the Davey Resource Group Planner Chris Fitzpatrick and PEPCO Forester Cody Hesseltine on August 18, 2023. I reviewed all the trees listed on my own on August 18<sup>th</sup>. My recommendations are shown in the attached table with reports and photos for each tree.



Tolbert V. Feather



# Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development  
Landscape Management, Plant Pest Management*

Town of Cheverly  
6401 Forest Road  
Cheverly, MD 20785

September 7, 2023

## **RE: Public Tree Removal PEPCO Request 1703 62<sup>nd</sup> Avenue in woods**

Sweetgum 8" in diameter at 4.5' above ground level.

The tree is growing directly into the wires. I recommend removal.



Tolbert V. Feather



# Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development  
Landscape Management, Plant Pest Management*


Town of Cheverly  
6401 Forest Road  
Cheverly, MD 20785

September 7, 2023

## **RE: Public Tree Removal PEPCO Request 1703 62<sup>nd</sup> Avenue in woods**

Pin Oak 25" in diameter at 4.5' above ground level.

The tree has 50% canopy and will not revive. I recommend removal.



Tolbert V. Feather



# Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development  
Landscape Management, Plant Pest Management*


Town of Cheverly  
6401 Forest Road  
Cheverly, MD 20785

September 7, 2023

**RE: Public Tree Removal PEPCO Request 6121 Arbor Street in woods**

Sweetgum 16" in diameter at 4.5' above ground level.

The tree is in decline with 50% live canopy and hazardous to the wires. I recommend removal.



Tolbert V. Feather



# Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development  
Landscape Management, Plant Pest Management*

Town of Cheverly  
6401 Forest Road  
Cheverly, MD 20785

September 7, 2023

## **RE: Public Tree Removal PEPCO Request 2202 Cheverly Avenue across the street in woods**

Sweetgum 16" in diameter at 4.5' above ground level.

The tree is in decline with 50% live canopy and hazardous to the wires. I recommend removal.



Tolbert V. Feather



# Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development  
Landscape Management, Plant Pest Management*

Town of Cheverly  
6401 Forest Road  
Cheverly, MD 20785

September 7, 2023

**RE: Public Tree Removal PEPCO Request 5600 Euclid Street south of swim club parking lot in woods**

Two Tulip Poplar trees 8" and 10" in diameter at 4.5' above ground level.

The trees are growing directly under the wires. I recommend removal.



Tolbert V. Feather



# Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development  
Landscape Management, Plant Pest Management*

Town of Cheverly  
6401 Forest Road  
Cheverly, MD 20785

September 7, 2023

**RE: Public Tree Removal PEPCO Request 5600 Euclid Street south of swim club parking lot in woods**  
Sweetgum 10" in diameter at 4.5' above ground level.

The tree is growing directly under the wires. I recommend removal.



Tolbert V. Feather





# Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development  
Landscape Management, Plant Pest Management*


Town of Cheverly  
6401 Forest Road  
Cheverly, MD 20785

September 7, 2023

**RE: Public Tree Removal PEPCO Request 6401 Forest Road in Town Park**

Sweetgum 18" in diameter at 4.5' above ground level.

Tree is in decline the main leader had died and been removed. The tree is hazardous. I recommend removal.



Tolbert V. Feather



# Feather & Assoc.


Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development  
Landscape Management, Plant Pest Management*

Town of Cheverly  
6401 Forest Road  
Cheverly, MD 20785

September 7, 2023

**RE: Public Tree Removal PEPCO Request 6401 Forest Road north of service road**  
Mulberry 14" in diameter at 4.5' above ground level.  
Decay in trunk. The tree is hazardous. I recommend removal.



Tolbert V. Feather



# Feather & Assoc.

Tolbert V. Feather, Ph.D.


*Advisors for: Landscape Development  
Landscape Management, Plant Pest Management*

Town of Cheverly  
6401 Forest Road  
Cheverly, MD 20785

September 7, 2023

## **RE: Public Tree Removal PEPCO Request 3003 Hospital Drive.**

Two Bradford Pear trees, both 8" in diameter at 4.5' above ground level.  
The trees are growing under the power lines and are covered in vines. I recommend removal.



Tolbert V. Feather



# Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development  
Landscape Management, Plant Pest Management*


Town of Cheverly  
6401 Forest Road  
Cheverly, MD 20785

September 7, 2023

## **RE: Public Tree Removal PEPCO Request 2501 Lake Avenue**

Red Maple 22" in diameter at 4.5' above ground level.

The tree is in decline with 25% live canopy and hazardous to the wires. I recommend removal.



Tolbert V. Feather



# Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development  
Landscape Management, Plant Pest Management*

Town of Cheverly  
6401 Forest Road  
Cheverly, MD 20785

September 7, 2023

**RE: Public Tree Removal PEPCO Request 5605 Lockwood Road**

Red Maple 21" in diameter at 4.5' above ground level.

The tree is in decline with 50% live canopy and hazardous to the wires. I recommend removal.



Tolbert V. Feather



# Feather & Assoc.

Tolbert V. Feather, Ph.D.


*Advisors for: Landscape Development  
Landscape Management, Plant Pest Management*

Town of Cheverly  
6401 Forest Road  
Cheverly, MD 20785

September 7, 2023

## **RE: Public Tree Removal PEPCO Request 1614 Marblewood Avenue across the street.**

Ten Virginia pine trees 8", 6", 8", 12", 6", 8", 6", 10", 12", 10" in diameters at 4.5' above ground level. The trees are dead or dying. I recommend removal.



Tolbert V. Feather



# Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development  
Landscape Management, Plant Pest Management*


Town of Cheverly  
6401 Forest Road  
Cheverly, MD 20785

September 7, 2023

**RE: Public Tree Removal PEPCO Request 1614 Marblewood Avenue**

Oak 16" in diameter at 4.5' above ground level.

Tree is in decline with less than 50% live canopy The tree is hazardous. I recommend removal.



Tolbert V. Feather



# Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development  
Landscape Management, Plant Pest Management*


Town of Cheverly  
6401 Forest Road  
Cheverly, MD 20785

September 7, 2023

## **RE: Public Tree Removal PEPCO Request 6114 Montrose Street**

Red Maple 22" in diameter at 4.5' above ground level.

The tree is in decline with 50% live canopy and hazardous to the wires. I recommend removal.



Tolbert V. Feather





# Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development  
Landscape Management, Plant Pest Management*


Town of Cheverly  
6401 Forest Road  
Cheverly, MD 20785

September 7, 2023

**RE: Public Tree Removal PEPCO Request 2304 Parkway**

Red Maple 22" in diameter at 4.5' above ground level.

The tree is hollow at the base. The tree is hazardous. I recommend removal.



Tolbert V. Feather



Hollow at the base of the trunk

# Feather & Assoc.

Tolbert V. Feather, Ph.D.

*Advisors for: Landscape Development  
Landscape Management, Plant Pest Management*

Town of Cheverly  
6401 Forest Road  
Cheverly, MD 20785

September 7, 2023

## **RE: Public Tree Removal PEPCO Request 2400 Valley Way across street**

Red Maple 28" in diameter at 4.5' above ground level.

The tree is in decline with 50% live canopy and hazardous to the wires. I recommend removal.



Tolbert V. Feather

